


GROUND LINE VARIES -- CABLE SUPPORT BRACKETS (TYP.), WARNING . FOUR PER VAULT SAND BACKFILL OR CONCRETE ENCASEMENT AS SHOWN ON THE PLANS - CONDUIT AS SHOWN IN PLANS AGGREGATE #2 COURSE _ SECTION A-A



NOTES:

- 1. BOX SHALL HAVE AN OPEN BASE.
- 2. COVER SHALL WITHSTAND AASHTO H 20 LOADING AND SHALL LOCK.
- 3. ALL OPENINGS IN STRUCTURE MUST BE MACHINED AT TIME OF FABRICATION OR PUNCH DRIVEN AT TIME OF PLACEMENT.
- 4. FIELD PLACEMENT OF COMMUNICATIONS VAULT SHALL BE AS DIRECTED BY THE ENGINEER.

ILLINOIS DEPARTMENT OF TRANSPORTATION F.A.I. 90/94 (DAN RYAN EXPRESSWAY) 63rd ST TO 59th ST (FRONTAGE ROAD & RAMPS) COMMUNICATIONS VAULT DETAILS (HANDHOLE TYPE C1)

DATE: October 29, 2004

DRAWN BY: MJL

CHECKED BY: AAP

SCALE: NTS

<u>ISOMETRIC</u>

3%" - 16 UNC STAINLESS — STEEL HEX HEAD BOLT WITH

COVER

LIFTING BOLT (TYP.) -

WASHER (2)

SKID RESISTANT SURFACE

PLAN

Edivaris

ONE NORTH FRANKLIN
CHICAGO, 11. 60606
PAND KEICEU

ONE NORTH FRANKLIN
CHICAGO, 11. 60606
PAN: (3)21 231-3015
FAX: (3)21 231-3015
WHILLE WWW.LECOOPL.COM